

RIESTER RI-SONIC PCP-USB AND PCP-1 ELECTRONIC STETHOSCOPES

- 51320 RI-SONIC PCP-1 ELECTRONIC STETHO - 3.5 mm stereo plug
- 51321 RI-SONIC PCP-USB ELECTRONIC STETHO- USB plug

The Riester Ri-sonic are electronic stethoscopes designed to provide auscultatory sound via Telemedicine, computer or through mobile device platforms. This can be done in real time remotely or through sharing of recorded files.

- the PCP-USB or PCP-1 stethoscope plugs directly into any mobile platform, PC or tablet computer via **eMurmur App**
- patented piezo technology for picking up body sounds with minimal background artefacts
- patients can use the stethoscope on themselves
- easy to use with a guidance of a clinicians.

Ri-sonic Electronic Stethoscopes enable to listen to internal body sounds, such as heart, lung or bowel sounds, of a patient.

TECHNICAL SPECIFICATIONS

Mode of operation:	continuous operation
Electrical protection:	Class II protection against electrical shock
Plug:	USB plug (51321), 3.5 mm stereo plug (51320)
Voltage:	Input: 2 V - 5 V DC
Classification:	Type BF applied part
Weight:	180 g (51321), 145 g (51320)
MDD Class:	Class IIa



eMURMUM App
Advanced digital auscultation platform. It makes possible for professionals to screen, monitor, diagnose and consult heart, lung and bowel health in clinics, hospitals and home.



RIESTER DUPLEX® 2.0 STETHOSCOPES, SIMPLY BETTER HEARING



RIESTER DUPLEX® 2.0 STAINLESS STEEL OR ALUMINIUM STETHOSCOPES - LATEX FREE

Duplex® 2.0 stethoscopes provide outstanding acoustic performance. Special design tube for better auscultation of adults, children/babies or new-borns.

- precision double chest-piece made of stainless steel with innovative membrane support
 - anatomically shaped binaural with internal multiple spring for adjusting the contact pressure
 - extra-soft, replaceable and pivotable ear-tips for perfect sealing at the ear canal and enhanced wear comfort
 - innovative acoustic system with extraordinary auscultation for all frequency ranges
 - special membrane for precise acoustics with novel non-chill rims for improved adaptation on the skin
- Supplied with name plate, replacement ear-tips and membrane.



MADE IN GERMANY

RIESTER DUPLEX® 2.0						
GIMA code	Riester code	ADULT STAINLESS STEEL	Membrane mm	Length cm	Weight g	
32333	4210-01	Duplex® 2.0 - black	Ø 32/44	74	151	
32334	4210-02	Duplex® 2.0 - white	Ø 32/44	74	151	
32335	4210-03	Duplex® 2.0 - blue	Ø 32/44	74	151	
32336	4210-04	Duplex® 2.0 - red	Ø 32/44	74	151	
PEDIATRIC STAINLESS STEEL						
32338	4220-02	Duplex® 2.0 - white	Ø 32/23.5	69	124	
NEW-BORN STAINLESS STEEL						
32340	4230-02	Duplex® 2.0 - white	Ø 24/17.5	69	105	
ADULT - ALUMINIUM						
32329	4201-01	Duplex® 2.0 - all black	Ø 32/44	74	97	
32330	4200-03	Duplex® 2.0 - blue	Ø 32/44	74	97	
32331	4200-04	Duplex® 2.0 - red	Ø 32/44	74	97	

RIESTER DUPLEX® STETHOSCOPES - ALUMINIUM CHEST-PIECE



RIESTER DUPLEX® ALUMINIUM STETHOSCOPES

Riester DUPLEX® stethoscopes combine first-class quality at an attractive price. They offer outstanding acoustic performance. Special membrane for perfect auscultation with particularly flat and soft non-chill rims for improved adaptation on the skin. Bell Ø 36 mm. Supplied with a pair of replacement ear-tips and a replacement membrane.

RIESTER DUPLEX® - ALUMINIUM CHESTPIECE					
GIMA code	Riester code	DUPLEX® ADULT	Membrane mm	Length cm	Weight g
51300	4001-01	Duplex® - black	Ø 48	77	151
51301	4001-02	Duplex® - slate grey	Ø 48	77	151
51302	4031-03	Duplex® - blue	Ø 48	77	151
51303	4033-05	Duplex® - green	Ø 48	77	151
DUPLEX® PEDIATRIC					
51307	4041	Duplex® - blue	Ø 36	76.5	122
DUPLEX® NEONATAL					
51310	4051	Duplex® - blue	Ø 28	76	106



河北普康医疗设备有限公司

HEBEI PUKANG MEDICAL INSTRUMENTS CO.,LTD

ADD: DONGSHIDUAN TOWN XUSHUI COUNTY HEBEI PROVINCE, CHINA

Web: www.hbpukang.com E-mail: pukang@hbpukang.com Post code: 072550

Export Tel: 0312-8592888 8592588

Fax: 0312-8592026

B-42-2 Gynecology Examination couch(SS)



Size: 1870*590*890mm

1. Bed frame made of 201 stainless steel, frame tube size: 25*50*1.4mm, and the Frame plate board thickness is 2mm.
2. Backrest 0-80° , operate by ratchet mechanism.
3. Stainless steel basin diameter 35cm
4. Foam mattress with artificial leather cover, easy to clean, thickness 8cm
5. Adjustable leg support and leg rest

LIGHTING YOUR WAY



MICARE

MEDICAL EXAMINATION LIGHTS

20 YEARS OF EXPERIENCE

Product

JD1500 LED Examination Lights	Portable Type
JD1500 Halogen Examination Lights	Portable Type
JD1100 3W LED Examination Lights	Portable Type
JD1100L 7W LED Examination Lights	Portable Type
JD1200L 12W LED Examination Lights	Portable Type
JD1600L 15W LED Examination Lights	Portable Type
JD1200J 12W LED Examination Lights	Clip On Type
JD1600J 15W LED Examination Lights	Clip On Type
JD1100G 7W LED Examination Lights	Wall Mounted Type
JD1000 21W LED Examination Lights	Portable Type

Examination lighting for a range of clinical applications

MICARE is a privately-owned company has been designing and manufacturing specialist lighting since 2005. MICARE continues to develop their product range; producing a comprehensive medical lighting range, including operating theatre, examination and patient lighting to support the needs of medical professionals.

In more recent years, we have expanded our specialist lighting range by including x-ray film viewers and surgical headlamps in order for us to provide a total patient management solution.

MICARE products are designed for Medical, Dental and Veterinary markets and we are a preferred supplier to the customers. Our comprehensive range of lights are often the first choice in 'new build' hospitals and medical centres throughout the Worldwide.

MICARE have always aimed to exceed customer expectations and we continue to invest in new product development. Our range is constantly expanding in an effort to assist in the reduction of carbon emissions, whilst providing high quality lighting products. We continue to work hard developing new products for the future.

Quality and customer service.

MICARE recognise that customers are professionals who demand the same quality of service as their patients expect of the, and are proud to be accredited to the current versions of ISO 9001 and ISO 13485. FDA, CE MDR 2017/745 designs conform to EN 60601-2-41.




JD1200L



Examination Lights

Gooseneck Arm / Portable



TECHNICAL DATA SHEET

Working Voltage	95-245V, 50/60HZ
Lamp Power	12W
Light Intensity	65,000Lux In Maximum (Dimmable)
Light Field Diameter @ 30CM	Φ2-16cm
Light Field Diameter @ 50CM	Φ3-24cm
Light Field Diameter @ 100CM	Φ5-50cm
Light Source	1pc LED, 24°
Color temperature	4,500 - 5,500K
Color rendering index	≥96
LED life time	50,000hrs
Light Intensity at 50CM	20,000Lux In Maximum (Dimmable)
Mounting Type	Portable / 5 wheels with brakes
Stand height Maximum	1850MM
Gooseneck Arm	720MM
Light Head Diameter	110*50MM
Switch On / Off	Touch Panel
Main Material	Aluminum





JD1600L



Examination Lights

Gooseneck Arm / Portable




TECHNICAL DATA SHEET

Working Voltage	95-245V, 50/60HZ
Lamp Power	15W
Light Intensity	85,000Lux In Maximum (Dimmable)
Light Field Diameter @ 30CM	Φ3-7cm
Light Field Diameter @ 50CM	Φ3.5-14cm
Light Field Diameter @ 100CM	Φ6.5-28cm
Light Source	1pc LED, 24°
Color temperature	4,500 - 5,500K
Color rendering index	≥96
LED life time	50,000hrs
Light Intensity at 50CM	25,000Lux In Maximum (Dimmable)
Mounting Type	Portable / 5 wheels with brakes
Stand height Maximum	1880MM
Gooseneck Arm	720MM
Light Head Diameter	140*50MM
Switch On / Off	Touch Panel
Main Material	Aluminum



JD1000 (NON-DIMMABLE)

Examination Lights Gooseneck Arm / Portable



Drawing Dimension Measurement: (mm)





TECHNICAL DATA SHEET

Working Voltage	95-245V, 50/60HZ
Lamp Power	21W
Light Intensity	90,000Lux In Maximum
Light Field Diameter @ 30CM	Φ10cm
Light Field Diameter @ 50CM	Φ19cm
Light Field Diameter @ 100CM	Φ35cm
Light Intensity at 50CM	30,000Lux In Maximum
Color temperature	4,500 - 5,500K
Color rendering index	≥96
LED life time	50,000hrs
Number Of led	7pc
Mounting Type	Portable / 5 wheels with brakes
Stand height Maximum	1820MM
Gooseneck Arm	720MM
Light Head Diameter	110*100MM
Switch On / Off	On Lamp Head
Main Material	Steel



JD1000 (DIMMABLE)

Examination Lights Gooseneck Arm / Portable




Drawing Dimension Measurement: (mm)



TECHNICAL DATA SHEET

Working Voltage	95-245V, 50/60HZ
Lamp Power	21W
Light Intensity	90,000Lux In Maximum (Dimmable)
Light Field Diameter @ 30CM	Φ10cm
Light Field Diameter @ 50CM	Φ19cm
Light Field Diameter @ 100CM	Φ35cm
Light Intensity at 50CM	30,000Lux In Maximum (Dimmable)
Color temperature	4,500 - 5,500K
Color rendering index	≥96
LED life time	50,000hrs
Number Of led	7pcs LED, 24°
Mounting Type	Portable / 5 wheels with brakes
Stand height Maximum	1820MM
Gooseneck Arm	720MM
Light Head Diameter	110*100MM
Switch On / Off	Knob Switch, Lamp Head
Main Material	Steel





Manual Vacuum Aspiration (MVA) Kit



It is used for manual aspiration procedure during Medical Termination of Pregnancy

- Made from polypropylene Polymer
- Specially designed Double Valve Syringe to apply suction during surgical abortion procedure

One kit contains

- 1 double valve syringe
- 8 Karman Cannula (sterile and individually packed) of sizes 4,5,6,7,8,9,10,12 mm
- Small Bottle of Lubricating Gel/Silicon Oil included (subject to shipping regulations)
- Packed in an easy to carry plastic box with handle

Avental plásticos reutilizados



Avental plástico de PVC forrado, com alças e tiras para suspensão no pescoço e ajuste na cintura. Recomendado para cozinha, limpeza, açougues e outros.

Características:

Fácil higienização

Material 100% Impermeável e reforçado

Dimensões: 1,20 x 0,60m

Material: PVC

PVC Mattress Cover



Our PVC Mattress Cover is a high quality waterproof cover that slides over the complete mattress to fully encase and protects the complete mattress. It's an essential item for keeping your mattress clean and protected. Made with durable PVC material, it's completely waterproof and will drastically extend the lifetime of any single bed mattress.

Ward Equipments



Overall Size : 480 X 480 x 760mm.

- Beside cabinet made of ABS material
 - 1 drawer and 1 storage cabinet
 - One pullout tray for cup and articles
 - 2 Pull out towel holder (one on each side)
- Optional: Castors

Bed Side Locker

HWE-07



Overall Size : 406L x 406W x 810H.

- CRCA sheet constructions.
- One Box and one drawer
- S. S. Top with three Sides raise edges
- Finish : Pretreated and Epoxy Powder coated.

Bed Side Locker

HWE-08



Overall Size : 406L x 406W x 810H.

- Tubular pipe construction fitted with PVC stumps.
- Assembled to M.S. Cupboard.
- Stainless stool top.
- Finish : Pretreated and Epoxy Powder Coated.

Bed Side Locker

HWE-09



Overall Size : 1676H x 2438L mm.

- Tubular frame work mounted on 50mm castors.
- Includes Suitable Curtain wire & Curtain.
- Finish : Pre-treated and Epoxy Powder Coated.
- Also available in Stainless Steel.

Bed Side Screen 4 Panel

HWE-10



Overall Size : 1676H x 2438L mm.

- Tubular frame work mounted on 50 mm castors.
- Includes Suitable Curtain wire & Curtain.
- Finish : Pre-treated and Epoxy Powder Coated.
- Also available in Stainless Steel finish.

Bed Side Screen 3 Panel

HWE-11



河北普康医疗设备有限公司

HEBEI PUKANG MEDICAL INSTRUMENTS CO.,LTD

ADD: DONGSHIDUAN TOWN XUSHUI COUNTY HEBEI PROVINCE, CHINA

Web: www.hbpukang.com E-mail: pukang@hbpukang.com Post code: 072550

Export Tel: 0312-8592888 8592588

Fax: 0312-8592026

4-door appliance cupboard with stainless steel base G-18



Size: L960*W400*H1750mm

Packing size:2070mm*970mm*405mm(carton)


1. epoxy coated steel construction with stainless steel base
2. Upper section with two lockable glass doors, with 2 adjustable shelves
3. Lower section with one big lockable storage and 1 adjustable shelve
4. Warranty: One year.
5. Our certificates:CE/FDA/ISO13485 /ISO9001

2022





GENERAL INSTRUMENTS
SCALPELS



GENERAL INSTRUMENTS
KNIVES



LANGENBECK AMPUTATION
9-190 Blade 12cm



LISTON AMPUTATION
9-200 Blade 17, 20cm




AMPUTATION
9-210
Blade 13, 16, 19, 22cm



CATLIN
9-220
Blade 16, 19, 22cm



BRAIN
9-230
Blade 20, 22cm




RAZOR
9-240

GENERAL INSTRUMENTS
OPERATING SCISSORS




OPERATING

13-100 13cm	13-110 13cm	13-120 13cm	13-130 13cm	13-140 13cm	13-150 13cm	
13-102 14cm	13-112 14cm	13-122 14cm	13-132 14cm	13-142 14cm	13-152 14cm	
13-104 15cm	13-114 15cm	13-124 15cm	13-134 15cm	13-144 15cm	13-154 15cm	
13-106 17.5cm	13-116 17.5cm	13-126 17.5cm	13-136 17.5cm	13-146 17.5cm	13-156 17.5cm	
13-108 20cm	13-118 20cm	13-128 20cm	13-138 20cm	13-148 20cm	13-158 20cm	




INCISION
13-160 13cm
13-162 14cm



DEAVER
13-170 14cm




13-172 14cm



MAYO
13-180 14cm
13-182 15cm
13-184 17cm
13-186 23cm



13-190 14cm
13-192 15cm
13-194 17cm
13-196 23cm




MAYO STILLE
13-200 15cm
13-202 17cm




13-210 15cm
13-212 17cm


GENERAL INSTRUMENTS
OPERATING SCISSORS



LEXER
13-220 16cm




LEXER
13-222 16cm



METZENBAUM
13-230 14cm



METZENBAUM-NELSON
13-240 18cm
13-242 20cm
13-244 23cm
13-246 25cm
13-248 28cm



JOSEPH
13-260 14cm


PLASTIC SURGERY SCISSORS

13-232 14cm


13-250 18cm
13-252 20cm
13-254 23cm
13-256 25cm
13-258 28cm

13-262 14cm

NEURO SCISSORS




KILNER
13-270 12cm



McINDOE
13-280 22cm


TONSIL SCISSORS



STRULLY
13-290 19cm

GENERAL INSTRUMENTS


DISSECTING SCISSORS



DISSECTING
13-440 11.5cm

DISSECTING
13-450 11.5cm
13-452 12.5cm
13-454 14 cm


UTERINE SCISSORS



DOYEN
13-470 17.5cm

13-472 17.5cm


UTERINE SCISSORS



SIM'S

13-480 19 cm 13-490 13-500 19 cm 13-510
13-482 20 cm 13-492 13-502 20 cm 13-512
13-484 21.5cm 13-494 13-504 21.5cm 13-514
13-486 23 cm 13-496 13-406 23 cm 13-516
13-488 24 cm 13-498 13-408 24 cm 13-518

FISTULA SCISSORS




KELLY
13-520 18cm


13-522 18cm

GENERAL INSTRUMENTS


EYE SCISSORS



TENOTOMY SCISSORS



DENTAL SCISSORS



GENERAL INSTRUMENTS
DRESSING AND TISSUE FORCEPS



ENGLISH
T.O.E.
15-100 10 cm
15-102 12.5cm
15-104 15 cm
15-106 18 cm
15-108 20 cm



ENGLISH
B/END
15-110 12.5cm
15-112 15 cm
15-114 18 cm



THUMB
15-120 11.5cm
15-121 12.5cm
15-122 14 cm
15-123 16 cm
15-124 20 cm
15-125 25 cm
15-126 30 cm



TREVE
15-130 12.5cm
15-132 15 cm
15-134 18 cm



1:2
TISSUE
15-140 11.5cm
15-141 12.5cm
15-142 14 cm
15-143 16 cm
15-144 20 cm
15-145 25 cm
15-146 30 cm



2:3
TISSUE
15-150 12.5cm
15-152 14 cm
15-154 16 cm
15-156 18 cm
15-158 20 cm



3:4
TISSUE
15-160 12.5cm
15-162 14 cm
15-164 16 cm



4:5
TISSUE
15-170 12.5cm
15-172 14 cm
15-174 16 cm



BROPHY
15-180 20cm



BROPHY
15-190 20cm



POTTS-SMITH
15-200 18 cm
15-202 21 cm
15-204 25 cm



15-210
15-212
15-214



GENERAL INSTRUMENTS
DRESSING AND TISSUE FORCEPS



CUSHING
15-220 17.5cm



CUSHING
15-230 17.5cm



1:2 BROPHY
15-240 20cm



1:2 BROPHY
15-250 20 cm



1:2 POTTS-SMITH
15-260 18 cm 15-270
15-262 21 cm 15-272
15-264 25 cm 15-274



1:2 CUSHING
15-280 17.5cm



1:2 CUSHING
15-290 17.5cm



ADSON
15-300 12cm



McINDOE
15-310 15cm



SEMKEN
15-320 12.5cm
15-322 15 cm



1:2 ADSON
15-330 12cm



1:2 GILLIS
15-340 15cm

GENERAL INSTRUMENTS

DRESSING & TISSUE FORCEPS



1:2
SEMKEN
15-350 12.5cm
15-352 15 cm



1:2
JEANS
15-360 14.5cm
15-362 17.5cm



2:3
RAMSAY
15-370 17.5cm



RUSSAIN
15-380 15cm
15-382 20cm
15-384 25cm



1:2
BONNEY



2:3
15-390 18cm 15-400

SPLINTER FORCEPS



1:2
LANE
15-410 12.5cm
15-412 15 cm
15-414 18 cm
15-416 20 cm



2:3
LANE
15-440 15cm
15-442 18cm



15-430 10.5cm
15-432 11.5cm
15-434 12.5cm



FEILCHENFELD
15-420 9 cm
15-422 11.5cm




HUNTER
15-450 10.5cm



15-460

GENERAL INSTRUMENTS


SPLINTER FORCEPS




WALTER-CARMALT
15-470 10.5cm 15-480



PEET
15-490 11.5cm




STIEGLITZ
STR CUR
15-500 14cm 15-502




ARTHUR
STR CUR
15-510 14cm 15-512



RALK
15-520 15cm




CARREL
17-100 8.5cm



TERRIER
17-110 8.5cm


GENERAL INSTRUMENTS
HAEMOSTATIC FORCEPS



HARTMAN
 STR 17-120 10cm CUR 17-122




HALSTEAD MOSQUITO
 17-130 12.5cm
 17-132 12.5cm CUR




HALSTEAD MOSQUITO
 STR 17-140 12.5cm CUR 17-142




1:2 HALSTEAD MOSQUITO
 STR 17-150 12.5cm CUR 17-152



KELLY
 STR 17-160 14cm CUR 17-162




CRILE
 STR 17-170 14cm CUR 17-172




KELLY-RANKIN
 STR 17-180 16cm CUR 17-182




GENERAL INSTRUMENTS
HAEMOSTATIC FORCEPS




CRILE-RAKIN
STR CUR
17-190 16cm 17-192




PROVIDENCE-HOSPITAL
STR CUR
17-200 14cm 17-202



DANDY
17-210 14cm



PEAN
STR CUR
17-220 12.5cm 17-230
17-222 14 cm 17-232
17-224 16 cm 17-234



PEAN
17-240 14cm
17-242 16cm




POCHESTER PEAN
STR CUR
17-250 12.5cm 17-260
17-251 14 cm 17-261
17-252 16 cm 17-262
17-253 18 cm 17-263
17-254 20 cm 17-264
17-255 24 cm 17-265
17-256 26 cm 17-266


GENERAL INSTRUMENTS
TOWEL CLAMPS




BACKHAUS
17-900 8cm
17-902 10cm
17-904 13cm




BACKHAUS
17-910 8cm
17-912 10cm
17-914 13cm



BACKHAUS-ROEDER
17-920 13cm
17-922 15cm



MAYO
17-930 14cm



MOYNIHAN
17-940 19cm



MOYNIHAN
17-950 18cm



DOYEN
17-960 18cm




SCHAEDEL
17-970 9cm



JONES
17-980 9cm

GENERAL INSTRUMENTS


DRESSING FORCEPS




GROSS
STR 19-900 20cm CUR 17-902



MAIER
STR 19-910 25cm CUR 17-912



MAIER
STR 19-920 25cm CUR 19-922



SIMS-MAIER
STR 19-930 28cm CUR 19-932



COLLIN
19-940 25cm




CHERON
19-950 25cm




GYNECOLOGY
VAGINAL SPECULA



CUSCO
61-100 SMALL
61-102 MEDIUM
61-104 LARGE



CUSCO
61-110 SMALL
61-112 MEDIUM
61-114 LARGE



GRAVES
61-120 SMALL
61-122 MEDIUM
61-124 LARGE



COLLIN
61-130 SMALL
61-132 MEDIUM
61-134 LARGE




SIMS
61-140 SMALL
61-142 MEDIUM
61-144 LARGE


GYNECOLOGY
VAGINAL SPECULA




KRISTELLER
61-150 SMALL
61-152 MEDIUM
61-154 LARGE




JACKSON
61-160 SMALL
61-162 MEDIUM
61-164 LARGE



EASTMAN
61-170 SMALL
61-172 MEDIUM
61-174 LARGE



KALLMORGEN
61-180 90x40mm




DOYEN
61-190 SMALL
61-192 MEDIUM
61-194 LARGE

GYNECOLOGY
VAGINAL SPECULA



AUVARD
61-200 2½ Lbs
61-202 3 Lbs



AUVARD
61-210 3 Lbs



AUVARD
61-220 2½ Lbs
61-222 3 Lbs




65 x 30mm
75 x 35mm
85 x 35mm
95 x 35mm



85 x 30mm
85 x 33mm
100 x 38mm
110 x 42mm



BOZEMANN
61-230



BOZEMANN
61-240




BREISKY
61-250 100x20mm
61-251 100x25mm
61-252 100x30mm
61-253 100x35mm
61-254 100x40mm




LANDAU
61-260 100x28mm
61-262 100x38mm




FREDMANN
61-270 10cm

**GYNECOLOGY
UTERINE DILATORS**

HEGAR
61-280 SET OF 14
4mm To 17mm



HEGAR
61-290 SET OF 8
3/4 To 17/18



HANK
51-300 SET OF 6
9/10 TO 19/20




HAWKINS-AMBER
61-310 SET OF 16
3-6 To 18-21



JOLLY
61-320 SET OF 5
3-7 To 12-18




HOLLOW WARE INSTRUMENTS



76-100
Instruments Tray
W / Cover



76-101
Instruments Tray




76-102
Instruments Box Perforated
Size: 140x80x40
200x100x50



76-103
Mayo Tray
Size: 225x165x18
385x265x16
485x320x16



76-104
Round Bowl
Size: Ø 40mm ml.30 Ø 150mm ml.750
Ø 60mm ml.50 Ø 180mm ml.1500
Ø 80mm ml.150 Ø 200mm ml.2100
Ø 100mm ml.250 Ø 250mm ml.3500
Ø 120mm ml.450



76-105
Kidney Tray with / without Cover
Size: 160mm ml.100 250 mm ml.550
200mm ml.400 280mm ml.1000

Protective Hand Lightly Powdered Disposable Medical Latex Examination Gloves



Products products :

1. Material: natural rubber latex
2. Type: Sterile powdered/powder free latex examination gloves;
Non sterile powdered/powder free latex examination gloves

Type	Hand width (mm)	Minimum length(mm)	Minimum thickness(mm)	Largest thickness(mm)
XS	≤80	≥240		
S	80±5	≥240	Smooth surface 0.08 Textured surface 0.11	Smooth surface 2.00
M	90±10	≥240		Textured surface 2.03
L	105±10	≥240		
XL	≥110	≥240		

Disposable Sterile Powdered Latex Surgical Gloves



Product instructions :

- 1、 Material: natural rubber latex
- 2、 Type: sterile powdered latex surgical gloves, Sterile powder free latex surgical gloves
3. Sterilization by Gamma ray or EO



Anhui Anyu Latex Products Co., Ltd.

Type	Palm Width (mm)	Minimum length(mm)	Edge of coarse(mm)	Minimum thickness(mm)
6"	77±5	260		
6.5"	83±5	260		
7"	89±5	270		
7.5"	95±5	270	1.5~2.0	Smooth on average ≥ 0.29 Textured on erage ≥ 0.30
8"	102±6	270		
8.5"	108±6	280		
9"	114±6	280		

MA-TS038

Mayo Trolley



Technical Parameters:

- ▶ Size: 500x350x(870-1300)mm
- ▶ Mayo Size: 350x500mm
- ▶ 304 Stainless steel material
- ▶ Four Castors with break
- ▶ Steel plate thickness: 1mm

IV Cannula

- The flash back chamber allows quick visualization of venous return.
- Wings specially designed for easy gripping and safe clamping.
- Needle cover to prevent accidental damage to needle & catheter.
- Color coded body/port cap as per ISO Standard.
- 6% luer taper as per International standard.
- Japanese stainless steel (AISI 304) needle with diameter and length adhering to all ISO standards.
- Triple point Needle for painless insertion.
- Thin walled, Radio-opaque stripped / transparent Teflon catheter, as per USP standard Class VI.
- Customized Automated Tipping Technology for lower penetration forces.
- Optimum trim distance for pain free penetration.



COMMON FEATURES:

- Tapered FEP radiopaque catheter for easy insertion with optimal flow rate
- Flexible wings to provide easy and secure insertion
- Manufactured from tested biocompatible materials offering inherent time
- Injection port with non-return silicon valve
- Transparent flashback chamber for easy visual medication

SIZE	COLOR	CATHETER OD (mm)	CATHETER LENGTH (mm)	FLOW RATE (ml/min)
14G	Orange	2.2	45	270
16G	Grey	1.8	45	200
17G	White	1.5	45	125
18G	Green	1.3	45	90
20G	Pink	1.1	32	55
22G	Blue	0.9	25	36
24G	Yellow	0.7	19	18
26G	Violet	0.6	19	13

IV Cannula Fixator

- Used for Fixation of IV Cannula / Catheter.
 - Made from polyurethane film and available in two variants, Transparent & Non woven.
 - Breathable and water proof, with reinforced notches that reduces mechanical stress from heavy catheters.
 - Thin film ensures easy fixation of devices with contoured surfaces.
- Sterile / Disposable / Individually Packed.



Syringe Lure Slip

- Sufficiently transparent barrel allows easy measurement of the volume contained in the disposable syringe friction free.
 - Thermoplastic Elastomer (TPE) is used to manufacture the gasket for smooth movement of plunger.
 - In superior quality by high accurate moulds.
 - Needles are manufactured by using imported Cannula having precise tip sharpness and good bonding strength with the hub.
 - Needles have ultra thin wall permitting rapid and efficient drug delivery.
- Sterile / Disposable / Individually Packed.

Size ml.						
1	2	3	5	10	20	50



Insulin Syringe



- Auto disable syringes are used for administering medications using standard and specialized techniques.
 - The transparent syringe barrel ensures controlled administration of medication.
 - Smooth-glide plunger ensures smooth, painless injection.
 - Secure plunger stop prevents loss of medication.
 - It is ideal for use in areas where disposal systems are inadequate and reuse of disposable syringes is common.
- Sterile / Disposable / Individually Packed.

Auto Disable Syringe



- Ideal sharpness for less pain and more comfort.
 - Advanced Uni-Body design.
 - Low dead space design ensures dosage accuracy and minimum wastage of drugs.
 - Clear transparent barrel and bold marking facilitates proper drug delivery.
 - Needles have ultra thin wall permitting rapid & efficient delivery.
- Sterile / Disposable / Individually Packed.

Nominal Capacity	Strength of Insulin	Needle Gauge	Needle Length	Color Code of Top & Bottom Cap
1 ml	U-40	29 G	13 mm	Red
1 ml	U-40	30 G	8 mm	Red
1 ml	U-40	31 G	8 mm	Red
1 ml	U-100	29 G	13 mm	Orange
1 ml	U-100	30 G	8 mm	Orange
1 ml	U-100	31 G	8 mm	Orange